



SEQUENCE LISTING

<110> Boles, T. Christian
Weir, Lawrence
Stone, Benjamin B.
Mosaic Technologies

<120> Detection of Non-Viral Organisms With SRP RNA

<130> 018422-000210US

<140> US 09/336,609

<141> 1999-06-18

<150> US 60/090,063

<151> 1998-06-19

<160> 27

<170> PatentIn Ver. 2.0

<210> 1

<211> 21

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:nucleotides
44-65 of E. coli 4.5S RNA conserved across
bacteria

<400> 1

gucagguccg gaaggaagca g

21

<210> 2

<211> 22

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:complement of
conserved E. coli 4.5S RNA region nucleotides
44-65 preferred probe for detection of bacteria

<400> 2

,gctgcttcct tccggacctg ac

22

<210> 3

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:complement of
conserved E. coli 4.5S RNA region nucleotides
preferred shorter probe for detection of bacteria

<400> 3

gctgcttcct tccggacctg a

21

<210> 4
 <211> 12
 <212> DNA
 <213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:complement of
 conserved E. coli 4.5S RNA region nucleotides
 preferred shorter probe for detection of bacteria

<400> 4
 gctgcttcct tc

12

<210> 5
 <211> 14
 <212> DNA
 <213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:complement of
 conserved E. coli 4.5S RNA region nucleotides
 preferred shorter probe for detection of bacteria

<400> 5
 gctgcttcct tccg

14

<210> 6
 <211> 14
 <212> DNA
 <213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:complement of
 conserved E. coli 4.5S RNA region nucleotides
 preferred shorter probe for detection of bacteria

<400> 6
 gacctgacct ggta

14

<210> 7
 <211> 41
 <212> DNA
 <213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:adaptor probe
 (Ad4.5S13Vnf) from conserved region of E. coli
 4.5S RNA

<400> 7
 gctgcttcct tccggacctg agtgaatacg ttccccgggcc t

41

<210> 8
 <211> 41
 <212> DNA
 <213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:adaptor probe
 from conserved region of E. coli 4.5S RNA

all
cont

<400> 8
 gctgcttcct tccggacctg acaaaaacga taaaccaacc a 41

 <210> 9
 <211> 18
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence:probe (2nf)
 suitable for detection of E. coli species

 <400> 9
 ggcacacgcg tcattctgc 18

 <210> 10
 <211> 29
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence:nucleotides
 36-65 of E. coli 4.5S RNA conserved across
 bacteria

 <400> 10
 uuuaccaggu cagguccgga aggaagcag 29

 <210> 11
 <211> 30
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence:complement of
 conserved E. coli 4.5S RNA region nucleotides
 36-65 preferred probe for detection of bacteria

 <400> 11
 gctgcttcct tccggacctg acctggtaaa 30

 <210> 12
 <211> 29
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence:gel-immobilized
 acrydite capture probe 13-III-ac

 <220>
 <221> modified_base
 <222> (1)
 <223> n = acrydite-modified thymine

 <400> 12
 ntttttttta ggcccgggaa cgtattcac 29

<210> 13
 <211> 18
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence:fluorescent
 sandwich probe 2F

<400> 13
 ggcacacgcg tcatctgc

18

<210> 14
 <211> 12
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence:alkaline
 phosphatase conjugated reporter probe RP-2

<220>
 <221> modified_base
 <222> (1)
 <223> n = alkaline phosphatase-conjugated 2'-O-methyl
 guanosine ribonucleotide

<220>
 <221> modified_base
 <222> (2)
 <223> n = cm

<220>
 <221> modified_base
 <222> (3)
 <223> n = um

<220>
 <221> modified_base
 <222> (4)
 <223> n = gm

<220>
 <221> modified_base
 <222> (5)
 <223> n = cm

<220>
 <221> modified_base
 <222> (6)
 <223> n = um

<220>
 <221> modified_base
 <222> (7)
 <223> n = um

<220>
 <221> modified_base
 <222> (8)
 <223> n = cm

Al
 conf

<220>
 <221> modified_base
 <222> (9)
 <223> n = cm

<220>
 <221> modified_base
 <222> (10)
 <223> n = gm

<220>
 <221> modified_base
 <222> (11)
 <223> n = um

<220>
 <221> modified_base
 <222> (12)
 <223> n = cm

<400> 14
 nnnnnnnnnn nn

12

<210> 15
 <211> 19
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence:gel-immobilized
 acrydite-modified capture probe CP-1

<220>
 <221> modified_base
 <222> (1)
 <223> n = acrydite-modified thymine

<220>
 <221> modified_base
 <222> (7)
 <223> n = cm

<220>
 <221> modified_base
 <222> (8)
 <223> n = gm

<220>
 <221> modified_base
 <222> (9)
 <223> n = gm

<220>
 <221> modified_base
 <222> (10)
 <223> n = 2'-O-methyl adenosine ribonucleotide

<220>
 <221> modified_base
 <222> (11)
 <223> n = cm

<220>
 <221> modified_base
 <222> (12)
 <223> n = cm

<220>
 <221> modified_base
 <222> (13)
 <223> n = um

<220>
 <221> modified_base
 <222> (14)
 <223> n = gm

<220>
 <221> modified_base
 <222> (15)
 <223> n = 2'-O-methyl adenosine ribonucleotide

<220>
 <221> modified_base
 <222> (16)
 <223> n = cm

<220>
 <221> modified_base
 <222> (17)
 <223> n = cm

<220>
 <221> modified_base
 <222> (18)
 <223> n = um

<220>
 <221> modified_base
 <222> (19)
 <223> n = um

<400> 15
 ntttttnnnn nnnnnnnnn

19

<210> 16
 <211> 19
 <212> DNA
 <213> Artificial Sequence


<220>
 <223> Description of Artificial Sequence:gel-immobilized
 acrydite-modified capture probe CP-2

<220>
 <221> modified_base
 <222> (1)
 <223> n = acrydite-modified thymine

<220>
 <221> modified_base
 <222> (7)
 <223> n = 2'-O-methyl adenosine ribonucleotide

<220>
<221> modified_base
<222> (8)
<223> n = gm

<220>
<221> modified_base
<222> (9)
<223> n = gm


<220>
<221> modified_base
<222> (10)
<223> n = 2'-O-methyl adenosine ribonucleotide

<220>
<221> modified_base
<222> (11)
<223> n = cm

<220>
<221> modified_base
<222> (12)
<223> n = cm

<220>
<221> modified_base
<222> (13)
<223> n = um

<220>
<221> modified_base
<222> (14)
<223> n = gm

<220>
<221> modified_base
<222> (15)
<223> n = 2'-O-methyl adenosine ribonucleotide

<220>
<221> modified_base
<222> (16)
<223> n = cm

<220>
<221> modified_base
<222> (17)
<223> n = 2'-O-methyl adenosine ribonucleotide

<220>
<221> modified_base
<222> (18)
<223> n = um

<220>
<221> modified_base
<222> (19)
<223> n = gm

<400> 16
nttttttntnnn nnnnnnnnnn

19

<210> 17
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:gel-immobilized
acrydite-modified capture probe CP-3

<220>
<221> modified_base
<222> (1)
<223> n = acrydite-modified thymine

<220>
<221> modified_base
<222> (7)
<223> n = cm

<220>
<221> modified_base
<222> (8)
<223> n = gm

<220>
<221> modified_base
<222> (9)
<223> n = gm

<220>
<221> modified_base
<222> (10)
<223> n = 2'-O-methyl adenosine ribonucleotide

<220>
<221> modified_base
<222> (11)
<223> n = cm

<220>
<221> modified_base
<222> (12)
<223> n = cm

<220>
<221> modified_base
<222> (13)
<223> n = um

<220>
<221> modified_base
<222> (14)
<223> n = gm

<220>
<221> modified_base
<222> (15)
<223> n = 2'-O-methyl adenosine ribonucleoside

Al
cont

<220>
 <221> modified_base
 <222> (16)
 <223> n = cm

<220>
 <221> modified_base
 <222> (17)
 <223> n = cm

al
cont
 <220>
 <221> modified_base
 <222> (18)
 <223> n = 2'-O-methyl adenosine ribonucleotide

<220>
 <221> modified_base
 <222> (19)
 <223> n = gm

<400> 17
 ntttttntnnn nnnnnnnnn

19

<210> 18
 <211> 19
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence:gel-immobilized
 acrydite-modified capture probe CP-4

<220>
 <221> modified_base
 <222> (1)
 <223> n = acrydite-modified thymine

<220>
 <221> modified_base
 <222> (7)
 <223> n = cm

<220>
 <221> modified_base
 <222> (8)
 <223> n = gm

<220>
 <221> modified_base
 <222> (9)
 <223> n = gm

<220>
 <221> modified_base
 <222> (10)
 <223> n = 2'-O-methyl adenosine ribonucleotide

<220>
 <221> modified_base
 <222> (11)
 <223> n = cm

<220>
 <221> modified_base
 <222> (12)
 <223> n = cm

<220>
 <221> modified_base
 <222> (13)
 <223> n = um

<220>
 <221> modified_base
 <222> (14)
 <223> n = gm

<220>
 <221> modified_base
 <222> (15)
 <223> n = 2'-O-methyl adenosine ribonucleotide

<220>
 <221> modified_base
 <222> (16)
 <223> n = cm

<220>
 <221> modified_base
 <222> (17)
 <223> n = 2'-O-methyl adenosine ribonucleotide

<220>
 <221> modified_base
 <222> (18)
 <223> n = 2'-O-methyl adenosine ribonucleotide

<220>
 <221> modified_base
 <222> (19)
 <223> n = gm

<400> 18
 ntttttnnnn nnnnnnnnn

19

<210> 19
 <211> 19
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence:gel-immobilized
 acrydite-modified capture probe CP-5

<220>
 <221> modified_base
 <222> (1)
 <223> n = acrydite-modified thymine

<220>
 <221> modified_base
 <222> (7)
 <223> n = cm

Al
 cont

<220>
<221> modified_base
<222> (8)
<223> n = gm

<220>
<221> modified_base
<222> (9)
<223> n = gm

<220>
<221> modified_base
<222> (10)
<223> n = 2'-O-methyl adenosine ribonucleotide

<220>
<221> modified_base
<222> (11)
<223> n = um

<220>
<221> modified_base
<222> (12)
<223> n = cm

<220>
<221> modified_base
<222> (13)
<223> n = um

<220>
<221> modified_base
<222> (14)
<223> n = gm

<220>
<221> modified_base
<222> (15)
<223> n = 2'-O-methyl adenosine ribonucleotide

<220>
<221> modified_base
<222> (16)
<223> n = cm

<220>
<221> modified_base
<222> (17)
<223> n = 2'-O-methyl adenosine ribonucleotide

<220>
<221> modified_base
<222> (18)
<223> n = cm

<220>
<221> modified_base
<222> (19)
<223> n = gm

Al
cont

<400> 19
ntttttnnnn nnnnnnnnn

19

<210> 20
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:5S RNA probe
(66nf)

<400> 20
ccacactacc atcggcgct

19

<210> 21
<211> 12
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:complementary
nucleic acid probe

<400> 21
gctgcttccg tc

12

<210> 22
<211> 13
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:complementary
nucleic acid probe

<400> 22
cggacctgac ctg

13

<210> 23
<211> 13
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:complementary
nucleic acid probe

<400> 23
aggaccugac aug

13

<210> 24
<211> 13
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:complementary
nucleic acid probe

Al
cont

<400> 24
cggaccugac cag

13

<210> 25
<211> 13
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:complementary
nucleic acid probe

<400> 25
cggaccugac aag

13

<210> 26
<211> 13
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:complementary
nucleic acid probe

<400> 26
cggaucugac acg

13

<210> 27
<211> 12
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:alkaline
phosphatase-cojugated reporter probe RP-1

<220>
<221> modified_base
<222> (1)
<223> n = alkaline phosphatase-conjugated 2'-O-methyl
guanosine ribonucleotide

<220>
<221> modified_base
<222> (2)
<223> n = cm

<220>
<221> modified_base
<222> (3)
<223> n = um

<220>
<221> modified_base
<222> (4)
<223> n = gm

<220>
<221> modified_base
<222> (5)
<223> n = cm

all
cont

<220>
<221> modified_base
<222> (6)
<223> n = um

<220>
<221> modified_base
<222> (7)
<223> n = um

*Al
Concluded*
<220>
<221> modified_base
<222> (8)
<223> n = cm

<220>
<221> modified_base
<222> (9)
<223> n = cm

<220>
<221> modified_base
<222> (10)
<223> n = um

<220>
<221> modified_base
<222> (11)
<223> n = um

<220>
<221> modified_base
<222> (12)
<223> n = cm

<400> 27
nnnnnnnnnn nn